



JDYX2. E345932
Fuses, Supplemental – Component

[Page Bottom](#)

Fuses, Supplemental - Component

[See General Information for Fuses, Supplemental – Component](#)

XIAMEN SET ELECTRONICS CO LTD

E345932

8067 XIANG' AN XI RD XIAMEN TORCH

HIGH-TECH INDUSTRIAL DEVELOPMENT ZONE

XIANG' AN INDUSTRY DIST

XIAMEN, FUJIAN 361101 CHINA

Supplemental fuses

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
SGF520-1.25A	5.0 x 20 (0.20 x 0.79)	1.25	250Vac	35
SGF520-1.6A	5.0 x 20 (0.20 x 0.79)	1.6	250Vac	35
SGF520-10A	5.0 x 20 (0.20 x 0.79)	10	250Vac	100
SGF520-1A	5 x 20 (0.20 x 0.79)	1	250Vac	35
SGF520-2A	5 x 20 (0.20 x 0.79)	2	250Vac	35
SGF520-3.15A	5 x 20 (0.20 x 0.79)	3.15	250Vac	35
SGF520-5A	5.0 x 20 (0.20 x 0.79)	5	250Vac	50
SGF520-6.3A	5.0 x 20 (0.20 x 0.79)	6.3	250Vac	63

SGF520-8A	5.0 x 20 (0.20 x 0.79)	8	250Vac	80
SGT520-1.25A	5.0 x 20 (0.20 x 0.79)	1.25	250Vac	35
SGT520-1.6A	5.0 x 20 (0.20 x 0.79)	1.6	250Vac	35
SGT520-10A	5.0 x 20 (0.20 x 0.79)	10	250Vac	100
SGT520-1A	5.0 x 20 (0.20 x 0.79)	1	250Vac	35
SGT520-2A	5.0 x 20 (0.20 x 0.79)	2	250Vac	35
SGT520-3.15A	5.0 x 20 (0.20 x 0.79)	3.15	250Vac	35
SGT520-5A	5.0 x 20 (0.20 x 0.79)	5	250Vac	50
SGT520-6.3A	5.0 x 20 (0.20 x 0.79)	6.3	250Vac	63
SGT520-8A	5.0 x 20 (0.20 x 0.79)	8	250Vac	80

Supplemental fuses: pigtail leads

Cat. No.	Size mm(in)	Amps (A)	Volts (V)	Interrupting Rating (A)
SGF520-1.25A-L	5.0 x 20 (0.20 x 0.79)	1.25	250Vac	35
SGF520-1.6A-L	5.0 x 20 (0.20 x 0.79)	1.6	250Vac	35
SGF520-10A-L	5.0 x 20 (0.20 x 0.79)	10	250Vac	100
SGF520-1A-L	5 x 20 (0.20 x 0.79)	1	250Vac	35
SGF520-2A-L	5 x 20 (0.20 x 0.79)	2	250Vac	35
SGF520-3.15A-L	5 x 20 (0.20 x 0.79)	3.15	250Vac	35
SGF520-5A-L	5.0 x 20	5	250Vac	50

	(0.20 x 0.79)			
SGF520-6.3A-L	5.0 x 20 (0.20 x 0.79)	6.3	250Vac	63
SGF520-8A-L	5.0 x 20 (0.20 x 0.79)	8	250Vac	80
SGFU3610-1.25A-L	4.0 x 11.0 (0.16 x 0.43)	1.25	250Vac	50
SGFU3610-1.6A-L	4.0 x 11.0 (0.16 x 0.43)	1.6	250Vac	50
SGFU3610-1A-L	4.0 x 11.0 (0.16 x 0.43)	1	250Vac	50
SGFU3610-2.5A-L	4.0 x 11.0 (0.16 x 0.43)	2.5	250Vac	50
SGFU3610-2A-L	4.0 x 11.0 (0.16 x 0.43)	2	250Vac	50
SGFU3610-3.15A-L	4.0 x 11.0 (0.16 x 0.43)	3.15	250Vac	50
SGFU3610-4A-L	4.0 x 11.0 (0.16 x 0.43)	4	250Vac	50
SGFU3610-500mA-L	4.0 x 11.0 (0.16 x 0.43)	0.5	250Vac	50
SGFU3610-5A-L	4.0 x 11.0 (0.16 x 0.43)	5	250Vac	50
SGFU3610-6.3A-L	4.0 x 11.0 (0.16 x 0.43)	6.3	250Vac	50
SGFU3610-630mA-L	4.0 x 11.0 (0.16 x 0.43)	0.63	250Vac	50
SGFU3610-800mA-L	4.0 x 11.0 (0.16 x 0.43)	0.8	250Vac	50
SGT520-1.25A-L	5.0 x 20 (0.20 x 0.79)	1.25	250Vac	35
SGT520-1.6A-L	5.0 x 20 (0.20 x 0.79)	1.6	250Vac	35
SGT520-10A-L	5.0 x 20 (0.20 x 0.79)	10	250Vac	100
SGT520-1A-L	5.0 x 20 (0.20 x 0.79)	1	250Vac	35

SGT520-2A-L	5.0 x 20 (0.20 x 0.79)	2	250Vac	35
SGT520-3.15A-L	5.0 x 20 (0.20 x 0.79)	3.15	250Vac	35
SGT520-5A-L	5.0 x 20 (0.20 x 0.79)	5	250Vac	50
SGT520-6.3A-L	5.0 x 20 (0.20 x 0.79)	6.3	250Vac	63
SGT520-8A-L	5.0 x 20 (0.20 x 0.79)	8	250Vac	80
SGTU3610-1.25A-L	4.0 x 11.0 (0.16 x 0.43)	1.25	250Vac	50
SGTU3610-1.6A-L	4.0 x 11.0 (0.16 x 0.43)	1.6	250Vac	50
SGTU3610-1A-L	4.0 x 11.0 (0.16 x 0.43)	1	250Vac	50
SGTU3610-2.5A-L	4.0 x 11.0 (0.16 x 0.43)	2.5	250Vac	50
SGTU3610-200mA-L	4.0 x 11.0 (0.16 x 0.43)	0.2	250Vac	50
		–	–Vac	–
		–	–Vac	–
		–	–Vac	–
		–	–Vac	–
		–	–Vac	–
SGTU3610-250mA-L	4.0 x 11.0 (0.16 x 0.43)	0.25	250Vac	50
SGTU3610-2A-L	4.0 x 11.0 (0.16 x 0.43)	2	250Vac	50
SGTU3610-3.15A-L	4.0 x 11.0 (0.16 x 0.43)	3.15	250Vac	50
SGTU3610-315mA-L	4.0 x 11.0 (0.16 x 0.43)	0.315	250Vac	50
SGTU3610-400mA-L	4.0 x 11.0 (0.16 x 0.43)	0.4	250Vac	50
SGTU3610-4A-L	4.0 x 11.0 (0.16 x 0.43)	4	250Vac	50

SGTU3610-500mA-L	4.0 x 11.0 (0.16 x 0.43)	0.5	250Vac	50
SGTU3610-5A-L	4.0 x 11.0 (0.16 x 0.43)	5	250Vac	50
SGTU3610-6.3A-L	4.0 x 11.0 (0.16 x 0.43)	6.3	250Vac	50
SGTU3610-630mA-L	4.0 x 11.0 (0.16 x 0.43)	0.63	250Vac	50
SGTU3610-800mA-L	4.0 x 11.0 (0.16 x 0.43)	0.8	250Vac	50

Marking: Company name and model designation.

[Last Updated](#) on 2013-03-05

[Questions?](#)

[Print this page](#)

[Terms of Use](#)

[Page Top](#)

◆ 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".